



DDA01 Running Singlet

Without Side Panels

www.nimblewear.com
www.nimblewear.net



LEFT BINDING



RIGHT BINDING



FRONT



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
 * All logos must be provided in vector format and all fonts must be converted into outline.
 * The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
 * We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


DDA02 Running Singlet

With Side Panels

www.nimblewear.com
www.nimblewear.net




LEFT BINDING




RIGHT BINDING


RIGHT SIDE PANEL



FRONT



LEFT SIDE PANEL



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


DDA03 Running Singlet

With Side Panels

www.nimblewear.com
www.nimblewear.net




LEFT BINDING





RIGHT BINDING

RIGHT SIDE PANEL



FRONT

LEFT SIDE PANEL



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


DDA04 Running Singlet

With Side Panels

www.nimblewear.com
www.nimblewear.net




LEFT BINDING




RIGHT BINDING


RIGHT SIDE PANEL



FRONT



LEFT SIDE PANEL



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

DDA05 Running Singlet

Without Side Panels

www.nimblewear.com
www.nimblewear.net



LEFT BINDING



RIGHT BINDING



FRONT



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


DDA06 Running Singlet

With Side Panels

www.nimblewear.com
www.nimblewear.net




LEFT BINDING




RIGHT BINDING

RIGHT SIDE PANEL



FRONT



LEFT SIDE PANEL



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

DDA07 Running Singlet

Women, Racerback, with Side Panels

www.nimblewear.com
www.nimblewear.net




LEFT BINDING




RIGHT BINDING


RIGHT SIDE PANEL



FRONT



LEFT SIDE PANEL



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

DDA08 Running Singlet

Women, without Side Panels

www.nimblewear.com
www.nimblewear.net



LEFT BINDING



RIGHT BINDING



FRONT



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


DDA09 Running Singlet

Women, with Side Panels

www.nimblewear.com
www.nimblewear.net




LEFT BINDING




RIGHT BINDING

RIGHT SIDE PANEL



FRONT



LEFT SIDE PANEL



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1


DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


DDA10 Running Singlet

Women, without Side Panels

www.nimblewear.com
www.nimblewear.net



LEFT BINDING



RIGHT BINDING



FRONT



BACK

COLORS USED:



CUSTOMER: _____

DESIGN REQUEST NUMBER: _____

VERSION: 1

DATE: 00 / 00 / 2013

• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
• All logos must be provided in vector format and all fonts must be converted into outline.
• The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
• We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.