


# BD001 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



CALA, with Silicon Gripper

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request.



REAR PANEL



LEFT SIDE PANEL



RIGHT SIDE PANEL

PRE-DYED LYCRA:



## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD002 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com




CALA, with 4.5 CM Power Band

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



REAR PANEL



LEFT SIDE PANEL

RIGHT SIDE PANEL



LEFT BAND



RIGHT BAND

PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD003 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



C Style, with Silicon Gripper

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD004 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



C Style, with 4.5 CM Power Band

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD005 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



T Style, with Silicon Gripper

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request.



PRE-DYED LYCRA:



## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.



# BD006 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



T Style, with 4.5 CM Power Band

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD007 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



U Style, with Silicon Gripper

Please note that NIMBLEWEAR logo must appear on both sides. Drawstring can be removed upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

# BD008 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



U Style, with 4.5 CM Power Band

Please note that NIMBLEWEAR logo must appear on both sides. Drawstring can be removed upon customer's request. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.




# BD009 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



CALA Style, with Waist Band, with Silicon Gripper, WOMEN


Please note that NIMBLEWEAR logo must appear on the side panels and the back panel.



REAR PANEL



LEFT SIDE PANEL



RIGHT SIDE PANEL

PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD010 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com




CALA Style, with Waist Band, with 4.5 CM Power Band, WOMEN

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



REAR PANEL



LEFT SIDE PANEL

RIGHT SIDE PANEL



LEFT BAND



RIGHT BAND

PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD011 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



C Style, with Waist Band, with Silicon Gripper, WOMEN

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD012 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



C Style, with Waist Band, with 4.5 CM Power Band, WOMEN

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD013 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



T Style, with Waist Band, with Silicon Gripper, WOMEN

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD014 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



T Style, with Waist Band, with 4.5 CM Power Band, WOMEN

Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# BD015 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



U Style, with Waist Band, with Silicon Gripper, WOMEN

Please note that NIMBLEWEAR logo must appear on both sides.



PRE-DYED  
LYCRA:



PANTONE®  
Black C



PANTONE®  
Red 186C



PANTONE®  
Dark Navy 2767 C



PANTONE®  
Navy Blue 2736 C



PANTONE®  
Light Blue 285 C



PANTONE®  
Cool Grey 11C



PANTONE®  
Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

# BD016 Triathlon Shorts

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2015  
 www.nimblewear.com sales@nimblewear.com



U Style, with Waist Band, with 4.5 CM Power Band, WOMEN

Please note that NIMBLEWEAR logo must appear on both sides. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:

PANTONE® Black C

PANTONE® Red 186C

PANTONE® Dark Navy 2767 C

PANTONE® Navy Blue 2736 C

PANTONE® Light Blue 285 C

PANTONE® Cool Grey 11C

PANTONE® Green 340 C

## COLORS USED:



## FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.