TAF01A Cycling Base Layer

CUSTOMER: _____ VERSION: 1

DESIGN REQUEST NUMBER:

DATE: 00 / 00 / 2014

ales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right) and on the center of lower back for the base layer.

LEFT BINDING

NECK TRIM

RIGHT BINDING



FRONT



BACK

COLORS USED:

PANTONE®
?C

?C

FLATLOCK COLOR OPTIONS:



is template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommende

• All logos must be provided in vector format and all fonts must be converted into outline.

 The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.

 We will try the best to match the PANTONE® colors when printing, but exact matc cannot be guaranteed, due to variation in temperature, humidity and materials.

TAF02A Cycling Base Layer

 CUSTOMER:
 VERSION: 1

 DESIGN REQUEST NUMBER:
 DATE: 00 / 00 / 2014


sales@nimblewear.com




Please note that NIMBLEWEAR logo must appear on the front neck area.

LEFT BINDING

RIGHT BINDING



FRONT




BACK

COLORS USED:

PANTONE® PANTONE® PANTONE® PANTONE® PANTONE® PANTONE® PANTONE® PANTONE® PANTONE® ? C ? C ? C ? C ? C ? C ? C

FLATLOCK COLOR OPTIONS:



is template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommendi • All logos must be provided in vector format and all fonts must be converted into outline.

 The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.

 We will try the best to match the PANTONE® colors when printing, but exact matc cannot be guaranteed, due to variation in temperature, humidity and materials.

TAF03A Cycling Base Layer

 CUSTOMER:
 VERSION: 1

 DESIGN REQUEST NUMBER:
 DATE: 00 / 00 / 2014

r.com sales@nimblewear.com




Please note that NIMBLEWEAR logo must appear on the front neck area.

LEFT BINDING

RIGHT BINDING



FRONT




BACK

COLORS USED:

PANTONE® PANTONE® 7C 7C PANTONE® 7C 7C PANTONE® 7C 7C 7C 7C

FLATLOCK COLOR OPTIONS:



is template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommende

• All logos must be provided in vector format and all fonts must be converted into outline.

The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.

 We will try the best to match the PANTONE® colors when printing, but exact match cannot be guaranteed, due to variation in temperature, humidity and materials.