

# TBB01C ITU Triathlon Suit

PRO Cutting, with Silicon Gripper

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits.





LEFT BINDING




RIGHT BINDING

RIGHT SIDE PANEL



LEFT SIDE PANEL



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2738 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



+ \$10  
With 4.5 CM Power Band



+ \$15  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

# TBB02C ITU Triathlon Suit

PRO Cutting, with 4.5 CM Power Band

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.






LEFT BINDING



RIGHT BINDING

RIGHT SIDE PANEL



LEFT SIDE PANEL



LEFT BAND



RIGHT BAND

PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2738 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



PANTONE® ? C

PANTONE® ? C

PANTONE® ? C

## OTHER OPTIONS FOR LEG HEM:



+ \$10  
With 4.5 CM Power Band



+ \$15  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# TBB03CW ITU Triathlon Suit

PRO Cutting, with Silicon Gripper, WOMEN

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of upper back for all the suits.





LEFT BINDING





RIGHT BINDING

RIGHT SIDE PANEL



LEFT SIDE PANEL



PRE-DYED LYCRA:



## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



+ \$10  
With 4.5 CM Power Band



+ \$15  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

# TBB04CW ITU Triathlon Suit

PRO Cutting, with 4.5 CM Power Band, WOMEN

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of upper back for all the suits. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.






LEFT BINDING



RIGHT BINDING

RIGHT SIDE PANEL




LEFT SIDE PANEL



LEFT BAND



RIGHT BAND



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



+ \$10  
With 4.5 CM Power Band



+ \$15  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

# TBB05B ITU Triathlon Suit

FLUID, with Silicon Gripper

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits.





LEFT BINDING




RIGHT BINDING

RIGHT SIDE PANEL



LEFT SIDE PANEL




PRE-DYED LYCRA:



## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# TBB06B ITU Triathlon Suit

FLUID, with 4.5 CM Power Band


CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com




Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



LEFT BINDING





RIGHT BINDING



RIGHT SIDE PANEL



RIGHT BAND



LEFT SIDE PANEL



LEFT BAND



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



With Silicon Gripper



+ \$5  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# TBB07B ITU Triathlon Suit

VELO, with Silicon Gripper

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits.




LEFT BINDING





RIGHT BINDING


RIGHT SIDE PANEL




RIGHT PANEL



LEFT SIDE PANEL



LEFT PANEL



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



+ \$10  
With 4.5 CM Power Band



+ \$15  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# TBB08B ITU Triathlon Suit

VELO, with 4.5 CM Power Band

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com





Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.






LEFT BINDING



RIGHT BINDING



RIGHT BAND



LEFT BAND




PRE-DYED LYCRA:

- PANTONE® Black C
- PANTONE® Red 186C
- PANTONE® Dark Navy 2767 C
- PANTONE® Navy Blue 2735 C
- PANTONE® Light Blue 285 C
- PANTONE® Cool Grey 11C
- PANTONE® Green 340 C

## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.



# TBB09A ITU Triathlon Suit

CLASSIC C, with Silicon Gripper

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits.





LEFT BINDING




RIGHT BINDING

RIGHT SIDE PANEL



LEFT SIDE PANEL



PRE-DYED LYCRA:



## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



+ \$10  
With 4.5 CM Power Band



+ \$15  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


# TBB10A ITU Triathlon Suit

CLASSIC C, with 4.5 CM Power Band

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.




LEFT BINDING




RIGHT BINDING


RIGHT SIDE PANEL



RIGHT BAND



LEFT SIDE PANEL



LEFT BAND



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2738 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



With Silicon Gripper



+ \$5  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

# TBB11A ITU Triathlon Suit

CLASSIC T, with Silicon Gripper

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com




Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits.





LEFT BINDING



RIGHT BINDING



RIGHT SIDE PANEL



LEFT SIDE PANEL



PRE-DYED LYCRA:



## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



+ \$10  
With 4.5 CM Power Band



+ \$15  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



\* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 \* All logos must be provided in vector format and all fonts must be converted into outline.  
 \* The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 \* We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

# TBB12A ITU Triathlon Suit

CLASSIC T, with 4.5 CM Power Band

CUSTOMER: \_\_\_\_\_ VERSION: 1  
 DESIGN REQUEST NUMBER: \_\_\_\_\_ DATE: 00 / 00 / 2014  
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the upper chest area (left or right), side panels and on the center of lower back for all the suits. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.




LEFT BINDING




RIGHT BINDING


RIGHT SIDE PANEL



RIGHT BAND



LEFT SIDE PANEL



LEFT BAND



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

## COLORS USED:



## OTHER OPTIONS FOR LEG HEM:



With Silicon Gripper



+ \$5  
With 7.5 CM Power Band

## FLATLOCK COLOR OPTIONS:



• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.  
 • All logos must be provided in vector format and all fonts must be converted into outline.  
 • The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.  
 • We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.