


TBD01B Triathlon Shorts

CALA, with Silicon Gripper

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request.



REAR PANEL



LEFT SIDE PANEL



RIGHT SIDE PANEL

PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



+ \$10
With 4.5 CM Power Band



+ \$15
With 7.5 CM Power Band

FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

TBD02B Triathlon Shorts

CALA, with 4.5 CM Power Band

CUSTOMER: _____

VERSION: 1

DESIGN REQUEST NUMBER: _____


DATE: 00 / 00 / 2014

www.nimblewear.com


sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



REAR PANEL



LEFT SIDE PANEL

RIGHT SIDE PANEL



LEFT BAND



RIGHT BAND

PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.



TBD03A Triathlon Shorts

C Style, with Silicon Gripper

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request.




PRE-DYED LYCRA:



COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD04A Triathlon Shorts

C Style, with 4.5 CM Power Band

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2738 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



With Silicon Gripper



+ \$5
With 7.5 CM Power Band

FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD05A Triathlon Shorts

T Style, with Silicon Gripper

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request.



PRE-DYED LYCRA:



COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE[®] MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE[®] colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.



TBD06A Triathlon Shorts

T Style, with 4.5 CM Power Band

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. Drawstring can be removed upon customer's request. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2736 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



With Silicon Gripper



+ \$5
With 7.5 CM Power Band

FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD07A Triathlon Shorts

U Style, with Silicon Gripper

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on both sides. Drawstring can be removed upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

REAR PANEL

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



+ \$10
With 4.5 CM Power Band



+ \$15
With 7.5 CM Power Band

FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

TBD08A Triathlon Shorts

U Style, with 4.5 CM Power Band

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on both sides. Drawstring can be removed upon customer's request. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:

PANTONE® Black C

PANTONE® Red 186C

PANTONE® Dark Navy 2797 C

PANTONE® Navy Blue 2735 C

PANTONE® Light Blue 285 C

PANTONE® Cool Grey 11C

PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



• This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
 • All logos must be provided in vector format and all fonts must be converted into outline.
 • The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
 • We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

TBD09BW Triathlon Shorts

CALA Style, with Lycra Waist Band, with Silicon Gripper, WOMEN

CUSTOMER: _____

VERSION: 1

DESIGN REQUEST NUMBER: _____


DATE: 00 / 00 / 2014

www.nimblewear.com

sales@nimblewear.com




Please note that NIMBLEWEAR logo must appear on the side panels and the back panel.



REAR PANEL



LEFT SIDE PANEL



RIGHT SIDE PANEL

PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



+ \$10
With 4.5 CM Power Band



+ \$15
With 7.5 CM Power Band

FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD10BW Triathlon Shorts

CALA Style, with Lycra Waist Band, with 4.5 CM Power Band, WOMEN

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE[®] MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE[®] colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD11AW Triathlon Shorts

C Style, with Lycra Waist Band, with Silicon Gripper, WOMEN

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



+ \$10
With 4.5 CM Power Band



+ \$15
With 7.5 CM Power Band

FLATLOCK COLOR OPTIONS:



* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
 * All logos must be provided in vector format and all fonts must be converted into outline.
 * The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
 * We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD12AW Triathlon Shorts

C Style, with Lycra Waist Band, with 4.5 CM Power Band, WOMEN

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
 * All logos must be provided in vector format and all fonts must be converted into outline.
 * The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
 * We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD13AW Triathlon Shorts

T Style, with Lycra Waist Band, with Silicon Gripper, WOMEN

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel.




PRE-DYED LYCRA:



COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE[®] MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE[®] colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD14AW Triathlon Shorts

T Style, with Lycra Waist Band, with 4.5 CM Power Band, WOMEN

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on the side panels and the back panel. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:



PANTONE® Black C



PANTONE® Red 186C



PANTONE® Dark Navy 2767 C



PANTONE® Navy Blue 2735 C



PANTONE® Light Blue 285 C



PANTONE® Cool Grey 11C



PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



With Silicon Gripper



+ \$5
With 7.5 CM Power Band

FLATLOCK COLOR OPTIONS:



* This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
 * All logos must be provided in vector format and all fonts must be converted into outline.
 * The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
 * We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.


TBD15AW Triathlon Shorts

U Style, with Lycra Waist Band, with Silicon Gripper, WOMEN

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on both sides.




PRE-DYED LYCRA:



COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.

TBD16AW Triathlon Shorts

U Style, with Lycra Waist Band, with Silicon Gripper, WOMEN

CUSTOMER: _____ VERSION: 1
 DESIGN REQUEST NUMBER: _____ DATE: 00 / 00 / 2014
 www.nimblewear.com sales@nimblewear.com



Please note that NIMBLEWEAR logo must appear on both sides. NIMBLEWEAR standard power band for leg hem is 4.5 CM in width. 7.5 CM power band is available upon customer's request.



PRE-DYED LYCRA:

PANTONE® Black C

PANTONE® Red 186C

PANTONE® Dark Navy 2797 C

PANTONE® Navy Blue 2735 C

PANTONE® Light Blue 285 C

PANTONE® Cool Grey 11C

PANTONE® Green 340 C

COLORS USED:



OTHER OPTIONS FOR LEG HEM:



FLATLOCK COLOR OPTIONS:



- This template can be edited with vector graphic software programs. Adobe Illustrator CS5 is recommended.
- All logos must be provided in vector format and all fonts must be converted into outline.
- The color on-screen may vary from the finished product. To confirm the color please refer to PANTONE® MATCHING SYSTEM FORMULA GUIDE Solid Coated.
- We will try the best to match the PANTONE® colors when printing, but exact matching cannot be guaranteed, due to variation in temperature, humidity and materials.